



Heavy Duty Direct Link Thumb for Pin Grabber



Viking West's Heavy Duty Direct Link Thumb is built for demanding applications like demolition, forestry, and material handling. Featuring a smooth-operating high-pressure cylinder and high-strength wear-resistant T1 tines, it delivers unmatched durability, precision, and reliable performance.

KEY FEATURES



Bucket Pin Rotation Point

Purpose-built for excavators equipped with pin grabber couplers and engineered to provide a consistent and secure grip throughout its full rotation



Serviceable Bushings

The pivot pin bores feature greaseable and replaceable hardened bushings, ensuring smooth operation, enhanced durability, and easy serviceability.



KEY FEATURES

Serrated Tines

Tine plates are crafted from high-strength low-alloy (HSLA) T1 grade steel, known for its exceptional strength, toughness and wear resistance.



KEY FEATURES




Induction Hardened Pins

OEM quality high strength induction hardened pins and locking hardware.

Spherical Bushings


Cylinder is equipped with self-aligning spherical bushings to allow slight angular movement to accommodate misalignment and reduce stress on the cylinder.



Steel Rack Packaging

Packaged in sturdy steel rack for safe transportation and storage.

Easy to follow instalation manual included.



Part number	Product	Class	Tines
102813	Thumb, HD Direct Link, PGC120	120 Series	2
102816	Thumb, HD Direct Link, PGC120	120 Series	4
103154	Thumb, HD Direct Link, PGC150	150 Series	4
102690	Thumb, HD Direct Link, PGC200	200 Series	2
102726	Thumb, HD Direct Link, PGC200	200 Series	4
103075	Thumb, HD Direct Link, PGC250	250 Series	2
102788	Thumb, HD Direct Link, PGC250	250 Series	4
102791	Thumb, HD Direct Link, PGC300	300 Series	2
102794	Thumb, HD Direct Link, PGC300	300 Series	4
102797	Thumb, HD Direct Link, PGC400	400 Series	2
102800	Thumb, HD Direct Link, PGC400	400 Series	4

IN STOCK 
AND READY TO SHIP!

1-855-500-6607 